

1 ENLARGED PARTIAL FLOOR PLAN A  
3/16" = 1'-0"

#### KEYNOTES

- E1 GURNEY
- E2 RECOVERY CHAIR
- E3 PYXIS MEDSTATION
- E4 CRASH CART
- E5 APPROVED WIRE SHELVING UNITS
- E6 KIOSK
- E7 PHOTOCOPIER
- E8 ENDO PROCESSING EQUIPMENT
- E9 SCRUB SINKS
- E10 SCOPE DRYING / STORAGE CABINET
- E11 CART WASHER
- E12 BASE CABINETS
- E13 CASE CARTS
- E14 PROCESSING TABLE W/ 3 TUB SINK
- E15 INTAKE TABLE / BRK. DN. W/ HAND SINK
- E16 ADJUSTABLE OPEN SHELVING
- E17 AIR CHAMBER SEE-THROUGH PASS BOX
- E18 ULTRASONIC INSTRUMENT CLEANER
- E19 WRAP TABLE SYSTEM
- E20 AMSCO "C" SERIES SMALL STEAM STERILIZER
- E21 AIR CHAMBER SEE-THROUGH PASS BOX
- E22 MOVABLE WIRE SHELVING
- E23 FIXED WIRE SHELVING
- E24 V-PRO 60 LOW TEMP STERILIZATION SYSTEM
- E25 CLINICAL SINK
- E26 "INPRO" 150BN BULLNOSE SURFACE MOUNTED CORNER GUARDS WITH 3" LEGS - 4" - 0" HT
- E27 SEMI-RECESSED FIRE EXTINGUISHER CABINET PER SPECIFICATIONS - VERIFY FINAL LOCATIONS WITH LOCAL FIRE DEPARTMENT PRIOR TO INSTALLATION
- E28 COUNTER MOUNTED STAINLESS STEEL SINK(S)
- E29 EYE WASH - VERIFY WITH PLUMBING DRAWINGS
- E30 FLOOR MOUNTED COPIER PROVIDED AND INSTALLED BY TENANT
- E31 30"W x 83"L GURNEY PROVIDED BY OWNER
- E32 UNDER COUNTER REFRIGERATOR - PROVIDED AND INSTALLED BY TENANT
- E33 BASE CABINET WITH UPPERS
- E34 NURSE CALL - VARITRONICS 1069 EMG - CALL 800-345-1244 (PROVIDE CORDED EXTENSION AT PACU BEDS & TOILET ROOMS) PROVIDED AND INSTALLED BY CONTRACTOR
- E35 TIME CLOCK WITH ELAPSED TIMER MOUNTED AT 96" ABOVE FINISH FLOOR - RAILAND TIME CONTROL EQUIPMENT 2421 DIGITAL ELAPSE TIMER/CLOCK WITH SWITCH AT 40" AFF
- E36 HVAC RETURN AIR DUCT - VERIFY EXACT SIZE PRIOR TO FRAMING ENCLOSURE R WATER - PROVIDED AND INSTALLED BY TENANT
- E37 8"x24" WALL SHELF BY "PEDIGO" - PROVIDED AND INSTALLED BY CONTRACTOR
- E38 CODE BLUE BUTTON AS PART OF THE NURSE CALL SYSTEM
- E39 MOP SINK - SEE PLUMBING DRAWINGS
- E40 WATER HEATER PER PLUMBING PLANS
- E41 "INPRO" 1600 SURFACE MOUNTED WALL GUARD - SEE INTERIOR ELEVATION AND LENGTHS AT BEDS. VERIFY LENGTHS AT HALLS.
- E42 MEDICAL GAS LOCATION - (1) OXYGEN / (2) VACUUM / (1) CANISTER SLIDE
- E43 CEILING MOUNTED TRACK AND CURTAIN INPRO CLICKEZE OPTTTRAC CUBICLE TRACK
- E44 SOILED LINEN HAMPER BY TENANT - INSTALL 10" DIAMETER HOLE WITH STAINLESS STEEL GROMMET
- E45 WALL MOUNTED DOUBLE LOCKED NARCOTICS BOX PROVIDED BY TENANT
- E46 NURSE CALL PANEL WITH CODE BLUE INDICATOR - VARITRONICS 1069 EMG - CALL 800-345-1244
- E47 MEDICAL GAS LOCATION - (1) OXYGEN / (2) VACUUM / (1) CARBON MONOXIDE
- E48 14"x48" BENCH ON PEDESTALS AT +18" WITH LAMINATE PLASTIC FINISH
- E49 SALISBURY EXTRA WIDE STANDARD METAL LOCKER DOUBLE TIER PROVIDED AND INSTALLED BY CONTRACTOR
- E50 FULL HEIGHT REFRIGERATOR - SUB FOR WATER - PROVIDED AND INSTALLED BY TENANT
- E51 FULL HEIGHT CABINET
- E52 PUSH BUTTON FOR AUTOMATED DOOR MNTD 36" AFF - SEE DOOR SCHEDULE
- E53 DRINKING FOUNTAIN
- E54 COUNTERTOP - OPEN BELOW
- E55 MICROWAVE PROVIDED BY TENANT
- E56 HAND SINK WITH SOAP & PAPER TOWEL DISPENSER
- E57 ICE MACHINE
- E58 ROOF ACCESS LADDER

- NON RATED**
- 1 HOUR RATED**
- 2 HOUR RATED**

#### FLOOR PLAN NOTES:


- BRACE ALL NEW PARTITIONS TO EXISTING STRUCTURE WITH STUDS AT 6'-0" O.C. OR WALL MIDPOINTS AT 45 DEGREES AND PERPENDICULAR TO WALL UNDER TRUSSES. ATTACH PARTITIONS WITH TRUSS CLIPS.
- PROVIDE HORIZONTAL BACKING AS REQUIRED FOR ALL CONTRACTOR, OWNER AND VENDOR SUPPLIED CABINETS AND ACCESSORIES.
- NOTIFY ARCHITECT OF ANY DIMENSIONAL DISCREPANCIES PRIOR TO FRAMING.
- ALL COLUMNS TO BE WRAPPED IN 5/8" TYPE X GYP BD FROM FLOOR TO RATED ROOF ASSEMBLY.

## Palmdale Health & Wellness Center

38921 Trade Center Drive Palmdale, Ca 93551

freeline  
ARCHITECTURE

814 18th Street Bakersfield, Ca. 93301 phone:




Revision:  
1 1-22-2019  
2

ca-02-2900  
Author  
2/4/2019 4:02:14 PM  
ENLARGED  
PARTIAL FLOOR  
PLAN

A102








KEYNOTES

- (E1) GURNEY
- (E2) RECOVERY CHAIR
- (E3) PYXIS MEDSTATION
- (E4) CRASH CART
- (E5) APPROVED WIRE SHELVING UNITS
- (E6) KIOSK
- (E7) PHOTOCOPIER
- (E8) ENDO PROCESSING EQUIPMENT
- (E9) SCRUB SINKS
- (E10) SCOPE DRYING / STORAGE CABINET
- (E11) CART WASHER
- (E12) BASE CABINETS
- (E13) CASE CARTS
- (E14) PROCESSING TABLE W/ 3 TUB SINK
- (E15) INTAKE TABLE / BRK. DN. W/ HAND SINK
- (E16) ADJUSTABLE OPEN SHELVING
- (E17) AIR CHAMBER SEE-THROUGH PASS BOX
- (E18) ULTRASONIC INSTRUMENT CLEANER
- (E19) WRAP TABLE SYSTEM
- (E20) AMSCO "C" SERIES SMALL STEAM STERILIZER
- (E21) AIR CHAMBER SEE-THROUGH PASS BOX
- (E22) MOVABLE WIRE SHELVING
- (E23) FIXED WIRE SHELVING
- (E24) V-PRO 60 LOW TEMP STERILIZATION SYSTEM
- (E25) CLINICAL SINK
- (E26) "INPRO" 150BN BULLNOSE SURFACE MOUNTED CORNER GUARDS WITH 3" LEGS - 4' - 0" HT
- (E27) SEMI-RECESSED FIRE EXTINGUISHER CABINET PER SPECIFICATIONS - VERIFY FINAL LOCATIONS WITH LOCAL FIRE DEPARTMENT PRIOR TO INSTALLATION
- (E28) COUNTER MOUNTED STAINLESS STEEL SINK(S)
- (E29) EYE WASH - VERIFY WITH PLUMBING DRAWINGS
- (E30) FLOOR MOUNTED COPIER PROVIDED AND INSTALLED BY TENANT
- (E31) 30"W x 83"L GURNEY PROVIDED BY OWNER
- (E32) UNDER COUNTER REFRIGERATOR - PROVIDED AND INSTALLED BY TENANT
- (E33) BASE CABINET WITH UPPERS
- (E34) NURSE CALL - VARITRONICS 1069 EMG - CALL 800-345-1244 (PROVIDE CORDED EXTENSION AT PACU BEDS & TOILET ROOMS) PROVIDED AND INSTALLED BY CONTRACTOR
- (E35) TIME CLOCK WITH ELAPSED TIMER MOUNTED AT 96" ABOVE FINISH FLOOR - RAULAND TIME CONTROL EQUIPMENT 2421 DIGITAL ELAPSE TIMER/CLOCK WITH SWITCH AT 40" AFF
- (E36) HVAC RETURN AIR DUCT - VERIFY EXACT SIZE PRIOR TO FRAMING ENCLOSURE R WATER - PROVIDED AND INSTALLED BY TENANT
- (E37) 8"x24" WALL SHELF BY "PEDIGO" - PROVIDED AND INSTALLED BY CONTRACTOR
- (E38) CODE BLUE BUTTON AS PART OF THE NURSE CALL SYSTEM
- (E39) MOP SINK - SEE PLUMBING DRAWINGS
- (E40) WATER HEATER PER PLUMBING PLANS
- (E41) "INPRO" 1600 SURFACE MOUNTED WALL GUARD - SEE INTERIOR ELEVATION AND LENGTHS AT BEDS. VERIFY LENGTHS AT HALLS.
- (E42) MEDICAL GAS LOCATION - (1) OXYGEN / (2) VACUUM / (1) CANISTER SLIDE
- (E43) CEILING MOUNTED TRACK AND CURTAIN INPRO CLICKEZE OPTITRAC CUBICLE TRACK
- (E44) SOILED LINEN HAMPER BY TENANT - INSTALL 10" DIAMETER HOLE WITH STAINLESS STEEL GROMMET
- (E45) WALL MOUNTED DOUBLE LOCKED NARCOTICS BOX PROVIDED BY TENANT
- (E46) NURSE CALL PANEL WITH CODE BLUE INDICATOR - VARITRONICS 1069 EMG - CALL 800-345-1244
- (E47) MEDICAL GAS LOCATION - (1) OXYGEN / (2) VACUUM / (1) CARBON MONOXIDE
- (E48) 14"x48" BENCH ON PEDESTALS AT +18" WITH LAMINATE PLASTIC FINISH
- (E49) SALISBURY EXTRA WIDE STANDARD METAL LOCKER DOUBLE TIER PROVIDED AND INSTALLED BY CONTRACTOR
- (E50) FULL HEIGHT REFRIGERATOR - SUB FOR WATER - PROVIDED AND INSTALLED BY TENANT
- (E51) FULL HEIGHT CABINET
- (E52) PUSH BUTTON FOR AUTOMATED DOOR MNTD 36" AFF - SEE DOOR SCHEDULE
- (E53) DRINKING FOUNTAIN
- (E54) COUNTERTOP - OPEN BELOW
- (E55) MICROWAVE PROVIDED BY TENANT
- (E56) HAND SINK WITH SOAP & PAPER TOWEL DISPENSER
- (E57) ICE MACHINE
- (E58) ROOF ACCESS LADDER

- NON RATED
- 6" x 22 GA METAL STUDS AT 16" O.C. WITH 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE.
- NON RATED
- 3 5/8" x 22 GA METAL STUDS AT 16" O.C. WITH 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE.
- 1 HOUR RATED
- 3 5/8" x 22 GA METAL STUDS AT 16" O.C. WITH 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE.
- 2 HOUR RATED
- 6" x 22 GA METAL STUDS AT 16" O.C. WITH TWO LAYERS 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE.
- FLOOR PLAN NOTES:
- BRACE ALL NEW PARTITIONS TO EXISTING STRUCTURE WITH STUDS AT 6'-0" O.C. OR WALL MIDPOINTS AT 45 DEGREES AND PERPENDICULAR TO WALL UNDER TRUSSES. ATTACH PARTITIONS WITH TRUSS CLIPS.
  - PROVIDE HORIZONTAL BACKING AS REQUIRED FOR ALL CONTRACTOR, OWNER AND VENDOR SUPPLIED CABINETRY AND ACCESSORIES.
  - NOTIFY ARCHITECT OF ANY DIMENSIONAL DISCREPANCIES PRIOR TO FRAMING.
  - ALL COLUMNS TO BE WRAPPED IN 5/8" TYPE X GYP BD FROM FLOOR TO RATED ROOF ASSEMBLY.








1 ENLARGED PARTIAL FLOOR PLAN B  
3/16" = 1'-0"

#### KEYNOTES

- (E1) GURNEY
- (E2) RECOVERY CHAIR
- (E3) PYXIS MEDSTATION
- (E4) CRASH CART
- (E5) APPROVED WIRE SHELVING UNITS
- (E6) KIOSK
- (E7) PHOTOCOPIER
- (E8) ENDO PROCESSING EQUIPMENT
- (E9) SCRUB SINKS
- (E10) SCOPE DRYING / STORAGE CABINET
- (E11) CART WASHER
- (E12) BASE CABINETS
- (E13) CASE CARTS
- (E14) PROCESSING TABLE W/ 3 TUB SINK
- (E15) INTAKE TABLE / BRK. DN. W/ HAND SINK
- (E16) ADJUSTABLE OPEN SHELVING
- (E17) AIR CHAMBER SEE-THROUGH PASS BOX
- (E18) ULTRASONIC INSTRUMENT CLEANER
- (E19) WRAP TABLE SYSTEM
- (E20) AMSCO "C" SERIES SMALL STEAM STERILIZER
- (E21) AIR CHAMBER SEE-THROUGH PASS BOX
- (E22) MOVABLE WIRE SHELVING
- (E23) FIXED WIRE SHELVING
- (E24) V-PRO 60 LOW TEMP STERILIZATION SYSTEM
- (E25) CLINICAL SINK
- (E26) "INPRO" 150BN BULLNOSE SURFACE MOUNTED CORNER GUARDS WITH 3" LEGS - 4' - 0" HT
- (E27) SEMI-RECESSED FIRE EXTINGUISHER CABINET PER SPECIFICATIONS - VERIFY FINAL LOCATIONS WITH LOCAL FIRE DEPARTMENT PRIOR TO INSTALLATION
- (E28) COUNTER MOUNTED STAINLESS STEEL SINK(S)
- (E29) EYE WASH - VERIFY WITH PLUMBING DRAWINGS
- (E30) FLOOR MOUNTED COPIER PROVIDED AND INSTALLED BY TENANT
- (E31) 30"W x 83"L GURNEY PROVIDED BY OWNER
- (E32) UNDER COUNTER REFRIGERATOR - PROVIDED AND INSTALLED BY TENANT
- (E33) BASE CABINET WITH UPPERS
- (E34) NURSE CALL - VARITRONICS 1069 EMG - CALL 800-345-1244 (PROVIDE CORDED EXTENSION AT PACU BEDS & TOILET ROOMS) PROVIDED AND INSTALLED BY CONTRACTOR
- (E35) TIME CLOCK WITH ELAPSED TIMER MOUNTED AT 96" ABOVE FINISH FLOOR - RAULAND TIME CONTROL EQUIPMENT 2421 DIGITAL ELAPSE TIMER/CLOCK WITH SWITCH AT 40" AFF
- (E36) HVAC RETURN AIR DUCT - VERIFY EXACT SIZE PRIOR TO FRAMING ENCLOSURE R WATER - PROVIDED AND INSTALLED BY TENANT
- (E37) 8"x24" WALL SHELF BY "PEDIGO" - PROVIDED AND INSTALLED BY CONTRACTOR
- (E38) CODE BLUE BUTTON AS PART OF THE NURSE CALL SYSTEM
- (E39) MOP SINK - SEE PLUMBING DRAWINGS
- (E40) WATER HEATER PER PLUMBING PLANS
- (E41) "INPRO" 1600 SURFACE MOUNTED WALL GUARD - SEE INTERIOR ELEVATION AND LENGTHS AT BEDS. VERIFY LENGTHS AT HALLS.
- (E42) MEDICAL GAS LOCATION - (1) OXYGEN / (2) VACUUM / (1) CANISTER SLIDE
- (E43) CEILING MOUNTED TRACK AND CURTAIN INPRO CLICKEZE OPTITRAC CUBICLE TRACK
- (E44) SOILED LINEN HAMPER BY TENANT - INSTALL 10" DIAMETER HOLE WITH STAINLESS STEEL GROMMET
- (E45) WALL MOUNTED DOUBLE LOCKED NARCOTICS BOX PROVIDED BY TENANT
- (E46) NURSE CALL PANEL WITH CODE BLUE INDICATOR - VARITRONICS 1069 EMG - CALL 800-345-1244
- (E47) MEDICAL GAS LOCATION - (1) OXYGEN / (2) VACUUM / (1) CARBON MONOXIDE
- (E48) 14"x48" BENCH ON PEDESTALS AT +18" WITH LAMINATE PLASTIC FINISH
- (E49) SALISBURY EXTRA WIDE STANDARD METAL LOCKER DOUBLE TIER PROVIDED AND INSTALLED BY CONTRACTOR
- (E50) FULL HEIGHT REFRIGERATOR - SUB FOR WATER - PROVIDED AND INSTALLED BY TENANT
- (E51) FULL HEIGHT CABINET
- (E52) PUSH BUTTON FOR AUTOMATED DOOR MNTD 36" AFF - SEE DOOR SCHEDULE
- (E53) DRINKING FOUNTAIN
- (E54) COUNTERTOP - OPEN BELOW
- (E55) MICROWAVE PROVIDED BY TENANT
- (E56) HAND SINK WITH SOAP & PAPER TOWEL DISPENSER
- (E57) ICE MACHINE
- (E58) ROOF ACCESS LADDER

- NON RATED**
- NON RATED**
- 1 HOUR RATED**
- 2 HOUR RATED**
- FLOOR PLAN NOTES:**
- BRACE ALL NEW PARTITIONS TO EXISTING STRUCTURE WITH STUDS AT 6'-0" O.C. OR WALL MIDPOINTS AT 45 DEGREES AND PERPENDICULAR TO WALL UNDER TRUSSES. ATTACH PARTITIONS WITH TRUSS CLIPS.
  - PROVIDE HORIZONTAL BACKING AS REQUIRED FOR ALL CONTRACTOR, OWNER AND VENDOR SUPPLIED CABINETRY AND ACCESSORIES.
  - NOTIFY ARCHITECT OF ANY DIMENSIONAL DISCREPANCIES PRIOR TO FRAMING.
  - ALL COLUMNS TO BE WRAPPED IN 5/8" TYPE X GYP BD FROM FLOOR TO RATED ROOF ASSEMBLY.



Revision:	
1	1-22-2019
2	


ca-02-2900

Author

2/4/2019 4:02:18 PM


ENLARGED  
PARTIAL FLOOR  
PLAN

**A103**




21 ENLARGED RESTROOM PLAN 14  
3/8" = 1'-0"


\* SEE SHEET A801 FOR ACCESSIBLE SHOWER DETAILS AND NOTES




1 ENLARGED RESTROOM PLAN 45  
3/8" = 1'-0"




2 ENLARGED RESTROOM PLAN 52  
3/8" = 1'-0"



3 ENLARGED RESTROOM PLAN 55  
3/8" = 1'-0"




4 ENLARGED RESTROOM PLAN 56  
3/8" = 1'-0"



23 ENLARGED RESTROOM PLAN 73  
3/8" = 1'-0"


\* SEE SHEET A801 FOR ACCESSIBLE SHOWER DETAILS AND NOTES




22 ENLARGED RESTROOM PLAN 62  
3/8" = 1'-0"

Keynote	Manufacturer	Description	Model	Comments
R01	Bradley Corporation	1 1/4" DIAMETER STAINLESS STEEL GRAB BARS WITH SNAP FLANGE	8122-001480	OR EQUAL
R02	Bradley Corporation	1 1/4" DIAMETER STAINLESS STEEL GRAB BARS WITH SNAP FLANGE	8122-001360	OR EQUAL
R03	BOBRICK WASHROOM EQUIPMENT, INC.	SURFACE MOUNTED PAPER TOWEL DISPENSER	B-4262	OR EQUAL
R04	BOBRICK WASHROOM EQUIPMENT, INC.	GLASS MIRROR WITH STAINLESS STEEL ANGLE FRAME	B-290	OR EQUAL
R05	BOBRICK WASHROOM EQUIPMENT, INC.	SURFACE-MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER	B-4288	OR EQUAL
R06	BOBRICK WASHROOM EQUIPMENT, INC.	CLASSIC SERIES SURFACE MOUNTED SEAT COVER DISPENSER	B-221	OR EQUAL
R07	BOBRICK WASHROOM EQUIPMENT, INC.	SURFACE MOUNTED SOAP DISPENSER	B-4112	OR EQUAL
R08	AMERIPRODUCTS, INC.	GENDER SPECIFIC RESTROOM DOOR & WALL SIGNAGE (UNISEX)	NEWUCHS7	OR EQUAL


\* SEE SHEET HC-1 FOR ADDITIONAL ACCESSIBLE DETAILS AND NOTES




5 P. MEN 56 E  
1/4" = 1'-0"




6 P. MEN 56 N  
1/4" = 1'-0"




7 P. MEN 56 S  
1/4" = 1'-0"




8 P. MEN 56 W  
1/4" = 1'-0"




24 TOILET 14 E  
1/4" = 1'-0"




25 TOILET 14 N  
1/4" = 1'-0"




26 TOILET 14 S  
1/4" = 1'-0"




27 TOILET 14 W  
1/4" = 1'-0"




9 P. WOMEN 55 E  
1/4" = 1'-0"




10 P. WOMEN 55 N  
1/4" = 1'-0"




11 P. WOMEN 55 S  
1/4" = 1'-0"




12 P. WOMEN 55 W  
1/4" = 1'-0"




28 TOILET 73 E  
1/4" = 1'-0"




29 TOILET 73 N  
1/4" = 1'-0"




30 TOILET 73 S  
1/4" = 1'-0"




31 TOILET 73 W  
1/4" = 1'-0"




13 PAT. TOIL. 45 E  
1/4" = 1'-0"




14 PAT. TOIL. 45 N  
1/4" = 1'-0"




15 PAT. TOIL. 45 S  
1/4" = 1'-0"




16 PAT. TOIL. 45 W  
1/4" = 1'-0"




32 STAFF TOIL 62 E  
1/4" = 1'-0"




33 STAFF TOIL 62 N  
1/4" = 1'-0"




34 STAFF TOIL 62 S  
1/4" = 1'-0"




35 STAFF TOIL 62 W  
1/4" = 1'-0"




17 PAT. TOIL. 52 E  
1/4" = 1'-0"



18 PAT. TOIL. 52 N  
1/4" = 1'-0"



19 PAT. TOIL. 52 S  
1/4" = 1'-0"




20 PAT. TOIL. 52 W  
1/4" = 1'-0"




NOTES:


1. ALL CABINETS TO BE AW1 PREMIUM GRADE, HAVE COUNTERTOPS WITH MIN 6" BACKSPASH, AND HAVE CONCEALED HINGES WITH ADJUSTABLE SHELVES. ALL EXPOSED SURFACES TO HAVE PLASTIC LAMINATE FINISH. CABINET HARDWARE: WIRE PULLS TO BE BACK MOUNTED, SOLID METAL, 5" LONG, 2-1/2" DEEP, AND 5/16" IN DIAMETER.




① NURSE STATION 44 E  
1/4" = 1'-0"




② NURSE STATION 44 S  
1/4" = 1'-0"



⑦ WARD CLERK 27 E  
1/4" = 1'-0"




③ NURSE STATION 51 E  
1/4" = 1'-0"



④ NURSE STATION 51 N  
1/4" = 1'-0"



⑤ NURSE STATION 51 S  
1/4" = 1'-0"



⑥ NURSE STATION 51 W  
1/4" = 1'-0"

Palmdale Health & Wellness Center  
38921 Trade Center Drive Palmdale , Ca  
93551


freeline  
ARCHITECTURE  
814 18th Street Bakersfield, Ca. 93301 phone:



Revision:	
1	
2	


ca-02-2900  
Author  
2/4/2019 4:02:23 PM  
INTERIOR  
ELEVATIONS

A106




Architectural floor plan of a two-stall restroom. The plan shows two stalls, each with a toilet, sink, and mirror. Dimensions include a 48-inch minimum clear width, a 60-inch minimum clear depth, and a 30-inch by 48-inch clear space for each stall. Restroom accessory schedules are indicated by diamond shapes labeled A304 and 325. The plan also shows a door, a window, and a vent.


**NON RATED**

**A**  6" x 22 GA METAL STUDS AT 16" O.C. WITH 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE. **01**  
A800


**NON RATED**

**B**  3 5/8" x 22 GA METAL STUDS AT 16" O.C. WITH 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE. **01**  
A800


**1 HOUR RATED**

**C**  3 5/8" x 22 GA METAL STUDS AT 16" O.C. WITH 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE. **03**  
A800


**2 HOUR RATED**

**D**  6" x 22 GA METAL STUDS AT 16" O.C. WITH TWO LAYERS 5/8" GYP BOARD EACH SIDE TO +6" ABOVE CEILING - BRACE TO CEILING ABOVE. **06**  
A800

1. BRACE ALL NEW PARTITIONS TO EXISTING STRUCTURE WITH STUDS AT 6'-0" O.C. OR WALL MIDPOINTS AT 45 DEGREES AND PERPENDICULAR TO WALL UNDER TRUSSES. ATTACH PARTITIONS WITH TRUSS CLIPS.
2. PROVIDE HORIZONTAL BACKING AS REQUIRED FOR ALL CONTRACTOR, OWNER AND VENDOR SUPPLIED CABINETS AND ACCESSORIES.
3. NOTIFY ARCHITECT OF ANY DIMENSIONAL DISCREPANCIES PRIOR TO FRAMING.
4. ALL COLUMNS TO BE WRAPPED IN 5/8" TYPE X GYP BD FROM FLOOR TO RATED ROOF ASSEMBLY.



freeLine  
ARCHITECTURE  
814 18th Street Bakersfield, Ca. 93301 phone:



Palmdale Health & Wellness Center  
38921 Trade Center Drive Palmdale, Ca 93551

1 1-22-2015




Author

2/4/2019 4:02:27 PM

THIRD FLOOR  
PLAN

# A301





1 THIRD FLOOR KEYNOTE PLAN  
1/8" = 1'-0"

- "INPRO" 150BN BULLNOSE SURFACE MOUNTED CORNER GUARDS WITH 3" LEGS - 4" - 0" HT
- SEMI-RECESSED FIRE EXTINGUISHER CABINET PER SPECIFICATIONS - VERIFY FINAL LOCATIONS WITH LOCAL FIRE DEPARTMENT PRIOR TO INSTALLATION
- COUNTER MOUNTED STAINLESS STEEL SINK(S)
- 30"W x 83"L GURNEY PROVIDED BY OWNER
- UNDER COUNTER REFRIGERATOR - PROVIDED AND INSTALLED BY TENANT
- BASE CABINET WITH UPPEERS
- NURSE CALL - VARITRONICS 1069 EMG - CALL 800-345-1244 (PROVIDE CORDED EXTENSION AT PACU BEDS & TOILET ROOMS) PROVIDED AND INSTALLED BY CONTRACTOR
- TIME CLOCK WITH ELAPSED TIMER MOUNTED AT 96" ABOVE FINISH FLOOR - RAULAND TIME COUNTRON EQUIPMENT 2421 DIGITAL ELAPSE TIMER/CLOCK WITH SWITCH AT 40" AFF
- 8"x24" WALL SHELF BY "PEDIGO" - PROVIDED AND INSTALLED BY CONTRACTOR
- MOP SINK - SEE PLUMBING DRAWINGS
- "BOBRICK" B223x24" MOP HOLDER MOUNTED AT 50" A.F.F.
- WATER HEATER PER PLUMBING PLANS
- "INPRO" 1600 SURFACE MOUNTED WALL GUARD - SEE INTERIOR ELEVATION AND LENGTHS AT BEDS. VERIFY LENGTHS AT HALLS.
- CEILING MOUNTED TRACK AND CURTAIN INPRO CLICKEZE OPTITRAC CUBICLE TRACK

- SOILED LINEN HAMPER BY TENANT - INSTALL 10" DIAMETER HOLE WITH STAINLESS STEEL GROMMET
- WALL MOUNTED TACTILE EXIT SIGN
- FIRE ALARM ENUNCIATOR PANEL PROVIDED AND INSTALLED BY CONTRACTOR
- WALL MOUNTED CLINIC SINK - PROVIDED AND INSTALLED BY CONTRACTOR SEE PLUMBING PLANS
- SALISBURY EXTRA WIDE STANDARD METAL LOCKER DOUBLE TIER PROVIDED AND INSTALLED BY CONTRACTOR
- STUB POWER AND CABLE FOR WALL MOUNTED PLASMA T.V. - INSTALL 6" WIDE METAL BACKING - VERIFY EXACT HEIGHT WITH TENANT
- FULL HEIGHT REFRIGERATOR - SUB FOR WATER - PROVIDED AND INSTALLED BY TENANT
- RECESSED MOUNTED ELECTRICAL PANELS - INSTALL IN FURRED OUT WALL
- 48x96 FIRE TREATED PLYWOOD TELEPHONE BACKBOARD
- ACCESSIBLE ENTRANCE SIGN MOUNTED -460" AFF
- ROOF ACCESS LADDER
- FIRE RISER
- FULL HEIGHT CABINET
- BREAK METAL AT COLUMN TO MATCH STOREFRONT

2016 CBC TABLE 1016.2 EXIT ACCESS TRAVEL DISTANCE

A OCC WITH AUTOMATIC FIRE SPRINKLER SYSTEM - 250' MAX  
B OCC WITH AUTOMATIC FIRE SPRINKLER SYSTEM - 300' MAX

2016 CBC TABLE 1014.3 COMMON PATH OF EGRESS TRAVEL

A OCC WITH AUTOMATIC FIRE SPRINKLER SYSTEM - 75' MAX  
B OCC WITH AUTOMATIC FIRE SPRINKLER SYSTEM - 100' MAX

EXIT ACCESS SHALL NOT PASS THROUGH ANY ROOM SUBJECT TO LOOKING PER 2013 CBC 1014.2


MEANS OF EGRESS SIZING SECTION 1005.1

175 OCCUPANTS / 2 EXITS - 87.5 x 0.3 = 26.25' REQ. 36" PROVIDED - OK


75' MAX TRAVEL DISTANCE TO FIRE EXTINGUISHER PER FIRE CODE 906

THIRD FLOOR GROSS AREA = 9,600 SF


B OCCUPANCY (NON RATED EXCEPT WHERE NOTED)  
OCC LOAD = 175 OCCUPANTS




2 EXAM 321 (north)  
1/4" = 1'-0"




3 BREAK ROOM 327 (south)  
1/4" = 1'-0"




4 BREAK ROOM 328 (south)  
1/4" = 1'-0"




5 HALLWAY 332 (north)  
1/4" = 1'-0"




6 HALLWAY 332 (south)  
1/4" = 1'-0"



7 CONFERENCE ROOM 345 E  
1/4" = 1'-0"




8 XRAY 311 S  
1/4" = 1'-0"




9 PROCEDURE 313 (east)  
1/4" = 1'-0"

NOTES:


- ALL CABINETS TO BE AWI PREMIUM GRADE, HAVE COUNTERTOPS WITH MIN 6" BACKSPLASH, AND HAVE CONCEALED HINGES WITH ADJUSTABLE SHELVES. ALL EXPOSED SURFACES TO HAVE PLASTIC LAMINATE FINISH. CABINET HARDWARE: WIRE PULLS TO BE BACK MOUNTED, SOLID METAL, 5" LONG, 2-1/2" DEEP, AND 5/16" IN DIAMETER.




1 RECEPTION 307 E  
1/4" = 1'-0"




2 RECEPTION 307 W  
1/4" = 1'-0"




7 DOCTOR OFFICE 346 N  
1/4" = 1'-0"




8 DOCTORS OFFICE 343 N  
1/4" = 1'-0"




9 BILLING 306 N  
1/8" = 1'-0"




10 NURSE 308 E  
1/8" = 1'-0"




11 HALL 324 N  
1/8" = 1'-0"




12 NURSE 308 W  
1/8" = 1'-0"




3 RESTROOM 310 E  
1/4" = 1'-0"




4 RESTROOM 310 N  
1/4" = 1'-0"




5 RESTROOM 310 S  
1/4" = 1'-0"




6 RESTROOM 310 W  
1/4" = 1'-0"




13 RESTROOM 325 E  
1/4" = 1'-0"




14 RESTROOM 325 N  
1/4" = 1'-0"




15 RESTROOM 325 S  
1/4" = 1'-0"




16 RESTROOM 325 W  
1/4" = 1'-0"




17 RESTROOM 326 E  
1/4" = 1'-0"




18 RESTROOM 326 N  
1/4" = 1'-0"




19 RESTROOM 326 S  
1/4" = 1'-0"




20 RESTROOM 326 W  
1/4" = 1'-0"




21 RESTROOM 329 E  
1/4" = 1'-0"




22 RESTROOM 329 N  
1/4" = 1'-0"




23 RESTROOM 329 S  
1/4" = 1'-0"




24 RESTROOM 329 W  
1/4" = 1'-0"




26 RESTROOM 330 E  
3/16" = 1'-0"




25 RESTROOM 330 N  
1/4" = 1'-0"




27 RESTROOM 330 S  
1/4" = 1'-0"




28 RESTROOM 330 W  
1/4" = 1'-0"




29 RESTROOM 340 E  
1/4" = 1'-0"




30 RESTROOM 340 N  
1/4" = 1'-0"




31 RESTROOM 340 S  
1/4" = 1'-0"




32 RESTROOM 340 W  
1/4" = 1'-0"




36 RESTROOM 341 W  
1/4" = 1'-0"




35 RESTROOM 341 S  
1/4" = 1'-0"




34 RESTROOM 341 N  
1/4" = 1'-0"




33 RESTROOM 341 E  
1/4" = 1'-0"




37 RESTROOM 342 E  
1/4" = 1'-0"



38 RESTROOM 342 N  
1/4" = 1'-0"



39 RESTROOM 342 S  
1/4" = 1'-0"



40 RESTROOM 342 W  
1/4" = 1'-0"